



RIG MOUNTED GYMNASTICS WALL

ASSEMBLY GUIDE



IMPORTANT - READ FIRST

Resistance training, gymnastics training and activities at height are potentially dangerous and may lead to severe injury or even death. This equipment must only be used by competent and responsible persons, or under the direct and visual control of a competent and responsible person. Use common sense when training, obtain instruction to ensure safe execution of movements.




Obtaining instruction in appropriate techniques and methods of use is your own responsibility. You assume all risks and responsibilities for all damage injury or death which may occur during or following incorrect use of this equipment in any matter whatsoever. AlphaFit bears no liability beyond the replacement value of the equipment in question.

It is the responsibility of the owner to ensure that all users of this product are adequately informed of all precautions. The safety and integrity designed into the equipment can only be maintained when it is regularly examined for damage and repaired. It is the responsibility of the user/owner to ensure that regular maintenance is performed. Inspect and properly tighten all parts regularly. Replace any worn or damaged parts immediately and do not use until the equipment has been repaired.

Both AlphaFit and buyer disclaim any express or implied warranty, including, without limitation, warranties or merchantability and/or fitness for a particular purpose with respect to the equipment.

WARNING: MISUSE OF THIS EQUIPMENT CAN RESULT IN SEVERE INJURY OR DEATH. BUYER ASSUMES ALL LIABILITY IN USAGE OF EQUIPMENT.

GYMNASTICS WALL PART LIST:




INCLUDED FASTENERS:

12 x (A)



M12 x 100mm Hex
Zinc Plated Bolt

8 x (B)



M24 x 130mm Hex
Zinc Plated Bolt

24 x (C)



M12 Zinc Plated
Flat Washer

16 x (D)



M24 Zinc Plated
Flat Washer

12 x (E)



M12 Nyloc Zinc
Plated Nut

8 x (F)



M24 Nyloc Zinc
Plated Nut

REQUIRED TOOLS:

- Socket Spanner
- 2 x 19mm & 36mm Sockets


RECOMMENDED TOOLS:

- Ladder
- Impact driver

Read this entire guide before attempting to build or use this machine. This guide contains step by step instructions for proper assembly. AlphaFit recommends a minimum of two (2) people to assemble the Gymnastics Wall. Use the parts list included in this guide to verify that all parts are accounted for before assembly. If any parts are missing, contact AlphaFit on 1300 257 428 or admin@alphafit.com.au.



STEP 1: REMOVE PULL UP BAR AND ATTACH CROSSBEAM

Unbolt and remove the pull up bar from the rig cell. Bolt crossbeam brace to top of uprights. *Letters denote appropriate fasteners.*



STEP 2: ATTACH STALL WALL FRAMES

Bolt the two stall wall frames to uprights as illustrated below. Letters denote appropriate fasteners.






PRO TIP:

Install bottom stall wall frame first in the top 13mm hole.

STEP 3: ATTACH CHIN UP BAR

Bolt chin up bar to front of crossbeam brace. Letters denote appropriate fasteners.



PRO TIP:

Chin up bar can be installed up or down to offer different height options.